

TOSHIBA CIX40 PHONE & VOICEMAIL USER GUIDE



One Call infinite solutions

Business Communications Solutions
9910 Irvine Center Drive
Irvine, CA 92618

www.bcsconsultants.com

[m]949.333.1000

[f] 949.333.1001



















GETTING TO KNOW YOUR PHONE

** Some features may already be pre-programmed **



20 Programmable Feature Buttons 4-Line LCD Telephone

Legend

- A. Status LED (message and ringing)
- B. LCD Display
- C. Softkeys
- D. Programmable Feature Buttons E. Message Waiting LED Button
- F. Microphone LED Button

- G. Speaker LED Button
- H. Volume
- I. Hold Button
- J. Microphone
- K. Tilt stand















Internet





Button	Definitions						
	Message (Msg): When Msg LED flashes, press Msg to call back the station or voice mail device that activated the LED. This is the telephone's [PDN] message waiting button.						
	Important! Red LED must be on in order for button to function.						
	Microphone (Mic/Mute) button toggles between Mic and Mute. When Mic key is lit, Mute is disabled. When Mic is pressed again and light is off, Mute is enabled on the microphone in the telephone and the microphone in the handset.						
	Speaker: Press to toggle the speaker ON/OFF. When red Speaker LED is lit handsfree communications is supported.						
a 4	To start a handsfree conversation; press the Speaker button, this turns the red Speaker LED on. To terminate this call press the Speaker button again (Speaker LED off).						
	During a handset conversation, press the Speaker button to start hands-free communications (red Speaker LED on). Press the Speaker button again to transfer the conversation back to the handset (Speaker LED off).						
	Press and release the volume control bar to adjust volume levels. See "Volume Control" on page 13.						
Vol	Important! Continuously holding the volume button (up or down) does not change the volume. It is adjusted on a per press basis.						
	Navigation Key: Round button on the IP513 telephone is a navigation key used for moving the cursor on html pages and in the programming screens. Center of the button is the "select" function. The arrows are used to scroll up, down, left or right.						















Network Cabling

VOIP

PI





Description	Image			
Digital Single Line Telephone: On hook dialing Headset I/F Ringing LED Non-display				
 10 Button Digital Telephone: Half duplex Speakerphone Headset I/F Ringing LED Non-display 	TOSHISA TOS			
 10 Button Digital Telephone: 4 line LCD with back light option Half duplex Speakerphone Headset I/F Ringing LED 	TOSHIBA TOS			



















20 Button Digital Telephone: • 4 line LCD with back light option • Half duplex Speakerphone • Headset I/F • Ringing LED 10 Button with Electronic LCD Labels: • 9 line LCD with back light • Half duplex and Full duplex Speakerphone options • Headset I/F • Ringing LED

PHONE USER GUIDE

PLACE A CALL

From the Handset: Lift the handset, then dial the number (you can switch to speakerphone by pressing **Spkr** and hanging up handset). *

From the Speaker: Press **Spkr**., then dial the # (you can switch to handset by lifting handset).*

* For Outside Line: Dial "9" then "1 + Area Code" & Phone #.

DIAL OUT OF THE DIRECTORY

- 1. Press DIR soft key.
- 2. Choose directory you wish to access and use dial pad to enter name:















Network

Cabling V

P





My = Personal Speed Dial, EXTR=System Speed dial Names, INTR= Internal Extensions, Dial = Cancels directory.

- Press FIND to start directory search.
- Press NEXT to move forward.
- Press **BACK** to move backwards.
- Press **CALL** to connect to the directory entry selected.
- Press **CNCL** to guit the directory search.

ANSWERING A CALL

Lift the handset or press Spkr.

HOLD A CALL

Hold: To place a call on hold, Press Hold button. To return to held call, press the held line's button. **Exclusive Hold:** To place a call on Exclusive hold, press hold twice.

PARK A CALL

- 1. While on a call, press Call Park.
- 2. Specify the Park Orbit using one of the following:
 - Enter a valid extension.
 - Press # and the system automatically selects your extension as the orbit.
 - Press * and the system automatically selects a General Park Orbit between 7000-7019. The chosen orbit appears on the LCD.
- 3. Hang up. If the parked call is not retrieved, the call rings back to your phone.
- 4. To Pick up a parked call:
 - From any phone: press Call Park and the extension number or orbit # it is parked at.
 - If somebody has parked the call on your extension, simply press the **Call Park** button to pick up the call.

TRANSFER A CALL

1. **Blind Transfer** (transfer directly) - Press **Cnf/Trn** and dial the extension number you would like to transfer it to. When you hear the phone ringing you can hang up.

Everything Your Business Needs







Cablina









Network

VOIP

PI

Intern





- 2. **Supervised Transfer** (Announce a call before transferring) While on a call, press **Cnf/Trn** and dial the extension number, wait for the other party to answer the phone. If they would like to take the call you can hang up and it will get transferred. If they don't and you'd like to reconnect to the original caller, press your extension button which should be flashing.
- 3. **Transferring a Call Directly to Voice Mail** (If you have a programmed VM Transfer Key) After you have answered the incoming call:
 - Press the Transfer to Voice Mail Key (The call will be placed on hold automatically)
 - Enter the destination Mail Box Number
 - Press the # Key to transfer the call
- 4. Transferring a Call Directly to Voice Mail (If you do NOT have a VM Transfer programmed key)
 - Dial #, 4, 0, 7 (The call will be placed on hold automatically)
 - Enter the destination Mail Box Number
 - Press the # Key to transfer the call

CONFERENCE CALL

- 1. While on a call, Press Cnf/Trn.
- 2. Call another station or outside line.
- 3. When the called party answers, press the **Cnf/Trn** button. (If you receive a busy tone or if the station does not answer, press the flashing line button to return to the original call).
- 4. Repeat Steps 1-3 to add more lines. You can conference up to 8 parties.
- **To Transfer Conference Control**: When the person who initiates the conference (master) hangs up, control transfers to the 1st internal station added to the conference. If no internal stations are in the conference, the call disconnects.
 - 1. Perform Steps 1 & 2 above to add the line to which you wish to transfer conference control.
 - 2. Announce the call and hangup to transfer the call. This station is now the conference "master" with the ability to add/delete parties.
- **To Hold a Conference Call: If you are the "master" conference controller, press Hold** once (or twice for Executive Hold) to place the conference call on hold. The conference continues and you can

join at any time without giving up "master" abilities. Music-on-hold is suppressed in this mode.

To Hold 2 Outside Lines:

1. While talking on an outside call, press Cnf/Trn.















Network

VOI

.

1 Ir





- 2. Access an outside line.
- 3. After the party answers, press **Cnf/Trn** twice and hang up. If you receive a busy tone or if station doesn't answer, press the flashing line button to return to original call.

CALL FORWARDING (internal & external)

Enter the button sequence below:

All Calls: Press Ext. + #6011 + Destination Number. **Busy**: Press Ext. + #6021 + Destination Number.

No Answer: Press Ext. + #6031 + Destination # + Timer (seconds, 2-digits) + #. **Busy No Answer**: Press Ext. + #6041 + Destination # + Timer (seconds, 2-digits) + #.

Cancel: Press Ext. + **#6051**.

VOLUME CONTROL

- 1. To adjust handset volume during a call: press down **Vol** \triangle or **Vol** \checkmark .
- 2. To adjust speaker volume for internal/external calls and background music: Press **Spkr** and use **Vol** or **Vol** to adjust volume level. Press **Spkr** to exit.
- 3. To adjust Ring Tone, Handsfree Answerback and Speaker Off-hook Call Announce: With an idle phone and handset on-hook, press **Vol** \triangle or **Vol** \checkmark .

SPEED DIAL

To Store a Station Speed Dial Number:

- 1. Dial #9876.
- 2. Press Spdial.
- 3. Enter a Speed Dial Code (100-199).
- 4. Enter the number to be stored (32 digits max).
- 5. Press **Spdial** button to store the entry.
- 6. Repeat steps 2-5 to add more speed dial numbers.
- 7. To end programming session, lift and replace the handset.

To Clear a number from a Station Speed Dial code:

Repeat the previous procedure skipping Step 4

To Make a call using Speed DIal:

















Network Cabling

VOIP

ity

PM





- 1. Lift the handset. Press **Spdial**, then dial the Speed Dial Number.
- 2. Access an outside line (if necessary).
- * Note: You may need to left the handset and access an outside line before pressing Spdial (depending on your telephone setup)

PAGING

To make a Page Announcement to telephones or external speakers

- 1. Lift the handset, and dial #30
- 2. Make your announcement, then hang up.

VOICEMAIL USER GUIDE

- To check Voicemail from outside: Call direct line. Hit * after greeting starts and follow prompts
- New Message Light

If you have checked all your new messages, but the New Message Light on your phone is still flashing:

- 1. Dial #, 4, 0, 9
- 2. Press the Soft Key under the display labeled as RLS. This should turn the New Message Light Off

Access Voice Mail
Call voice mail at _____.

Press , enter your User ID and press .
Enter your security code, and press .
Voice mail plays the number of messages you have and prompts you with Main Menu choices.

MESSAGE CONTROLS

While playing a message, press:

4 Pause/Resume (toggle or 30 secs.)

8 Turn Up volume

Turn Down volume

Back Up (rewind)

Go Forward (advance)

While recording a message, press:

4 Pause/Resume (toggle or 30 secs.)

MANAGE MAILBOX HINTS

Select a greeting for your mailbox: You can record seven different greetings that can be selected at any time, or choose to use the prerecorded system greeting. Check your greeting frequently to ensure your information is accurate.

Name (and extension) recording is used for directory information, system greeting, and user identification.

Change your security code on a regular basis. Record a List Comment to identify/name the list.















Network Cabling


VOIP

P

Intern







MAIN MENU CHANGE YOUR GREETING Play Messages Select 1 ~ 7 for a Personal Greeting 2 Send Messages or # for the System Greeting Manage Mailbox Review selected greeting Exit user mode 2 Record (new) greeting # Hang up Review greeting 2 Rerecord MANAGE MAILBOX 3 Append to recording Change your Greeting 4 Cancel recording 2 Change your User Options Save recording 3 Manage your Lists Return to a previous menu Select 🛛 ~ 7 for a Personal List Review current greeting Review your current list Return to a previous menu 2 Add a User ID to the list CHANGE YOUR USER OPTIONS Delete a User ID from the list Change your Do Not Disturb (On/Off) 4 Record a list Comment 2 Change your Call Screening (On/Off) g Return to a previous menu Change your Security Code Return to a previous menu Select your Busy Greeting (toggle) 4 Manage your Guest User ID Record your Busy Greeting 5 1 Create a Guest User ID 6 Record your Name 2 Delete a Guest User ID Change message Notification 7

Review your Guest User IDs

Return to a previous menu

Return to Main Menu

MESSAGING HINTS

New Messages play before Saved Messages unless you press . **7 7**

Urgent Messages play first in the New Message

Message Forward Comments play first, followed by the original message.

Private Messages cannot be forwarded.

To send a Direct Message from the Company Greeting, press o or______ followed by the User ID.

followed by the User ID.

To access the Directory, press 4 1 1 from the

To access the Directory, press 4 1 1 from the Company Greeting.

Your voice mail may be configured so that you can press of from the Main Menu and enter another User ID without having to hang up (exit User Mode).

Everything Your Business Needs







Review your Option Settings

Return to previous menu









Network Cabling

VOIP

F

Security

Internet





BCS INFORMATION

CONTACT INFORMATION (Mon-Fri 8am-5pm)

Main: (949) 333-1000 <u>info@bcsconsultants.com</u>

Main Fax: (949) 333-1001 <u>info@bcsconsultants.com</u>

Customer Service: (949) 333-1010 <u>support@bcsconsultants.com</u>

IT Support: (949) 333-1040 <u>ITsupport@bcsconsultants.com</u>

Sales: (949) 333-1020 <u>sales@bcsconsultants.com</u>

Website <u>www.bcsconsultants.com</u>

OTHER SERVICES

Maximize your communication system's performance, while protecting your investments, giving you peace of mind and service priority with BCS's **Customer For Life (CFL) Cisco Maintenance Program**. Call or email our Sales Team for pricing.

- CARRIER SERVICES: Data Center, Internet Access, Voice Services, & Wireless Services
- HOSTED SOLUTIONS
- IT NETWORK SERVICES: Anti-Spam, Backup Disaster Recovery, Computer Services, Managed Services, Server & Network Design, & Wireless Security
- STRUCTURED CABLING: Voice & Data Cabling
- **TELECOM:** Unified Communications, Voice & Video Conferencing, VOIP, Wireless Communications
- VIDEO CONFERENCING & VIDEO SURVEILLANCE















VOIP

curity

M In





MY INFORMATION

NAME:				
EXTENSION:				
DIRECT #:				
PASSWORD:				
NOTES:				













